

WROUGHT IRON DECORATIVE DRAPERY HARDWARE

updated January 2008





Featured here: Kirsch® Wrought Iron Bird Cage Finials in Black finish with coordinating holdbacks

WROUGHT IRON

Old World Spanish influences embrace modern touches in the new Wrought Iron Collection. Kirsch designers, in concert with interior designers from around the country, shaped this exciting collection that ranges from classic profiles to unmistakably modern motifs. Single and double brackets, holdbacks, rings, finials and a stoutly-made 1" rod dazzle in five finishes: Black, Rust, Iron Oxide, Iron Gold, and Antique Pewter. A striking expression that is both organic and sophisticated, the new Wrought Iron Collection can complement any interior design vision.

Featured on the cover: Kirsch[®] Wrought Iron Collection with Crown Palace finials in black with roman shades from Classique collection with room darkening in mocha in hobbled style with motorized lift system.

Color photography in print may vary slightly from actual finished product.

Please confirm your color selection with the Kirsch Swatch Card or Kirsch Display Board.

WROUGHT IRON Finials











56350

Bird Cage Size: 5½"l x 2½"w x 2½"h, .75 lbs. Finishes: 011, 770, 777, 801, 802











56351

Pedestal Ball Size: 4½"l x 2½"w x 2½"h, .95 lbs. Finishes: 011, 770, 777, 801, 802













 $\label{eq:Leaf-Scroll} Leaf Scroll Size: 5\%"l x \%"w x 2\%"h, .95 lbs. Finishes: 011, 770, 777, 801, 802$











56353

 $A can thus \ Arrow \\ Size: 4\%"l x 4\%"w x 2"h, 1.65 lbs. \\ Finishes: 011, 770, 777, 801, 802$











56354

 $\label{eq:pine cone} Pine Cone \\ Size: 4\%"l x 3\%"w x 3\%"h, 2 lbs. \\ Finishes: 011, 770, 777, 801, 802 \\$

Finials and End Cap











56355Beveled Brick
Size: 4"l x 1%"w x 1%"h, 1.45 lbs.
Finishes: 011, 770, 777, 801, 802













Crown Palace Size: 3%"l x 3%"w x 3%"h, .5 lbs. Finishes: 011, 770, 777, 801, 802











56357

Inner Lace Size: 5"l x ½"w x 3½"h, .65 lbs. Finishes: 011, 770, 777, 801, 802













56373

Petite Modern Ball Size: $2"l \times 1\%"w \times 1\%"h$ Finishes: 011, 770, 777, 801, 802













56374

 $\label{eq:petite Faucet} Fatte Faucet \\ Size: 1\%"l x 1\%"w x 1\%"h \\ Finishes: 011, 770, 777, 801, 802 \\$

End Cap, Swivel Sockets and Poles











56358

 $End\ Cap$ Size: %"l x 2"w x 2"h, .40 lbs. Finishes: 011, 770, 777, 801, 802



56367 Swivel Socket

Finishes: 011, 770, 777, 801, 802

Pole Finishes



1" Diameter Poles 56359 6' Pole, .55 lbs per ft.

56360 8' Pole, .55 lbs per ft.









Poles can easily be spliced together to accomodate a specific width. Splice part number is **56366**

Brackets











56362

56363

Bracket

Projection: 3½" Size: 4% "l x %"w x 4"h, .75 lbs.

Finishes: 011, 770, 777, 801, 802











Bracket Projection: 5%" Size: 61/4"l x 1/8"w x 41/4"h, .95 lbs. Finishes: 011, 770, 777, 801, 802











56364

Bracket

Projection: 7½"

Size: 8%"l x 34"w x 434"h, .95 lbs. Finishes: 011, 770, 777, 801, 802











56365

Double Bracket

Uses 1" rod for inner and outer diameter rod

Outside Projection: 61/2"

Inside Projection: 31/2"

Size: 7½"l x %"w x 5%6"h, 1.65 lbs.

Finishes: 011, 770, 777, 801, 802













Center Bypass Bracket*

Uses 1" rod for inner and outer diameter rod

Projection: 31/2"

Size: 45/6"l x 5/8"w x 4"h, .75 lbs.

Finishes: 011, 770, 777, 801, 802 In order to secure the pole properly use with

two outer brackets (56362) and C rings only (56371)

WROUGHT IRON Accessories













Inside Mount Socket
Uses 1" rod between two facing walls

Finishes: 011, 770, 777, 801, 802














Outside Diameter 21/8"

Eyelet Pin Setting: ½" Finishes: 011, 770, 777, 801, 802





770





C-Rings have a space that allows the rings to be drawn across the new Kirsch Center Bypass Bracket. (56372). Best when used with Baton (56375) and Center Bypass Bracket (56372).



56371

C-Rings

Inside Diameter 1%"
Outside Diameter 2%"

Eyelet Pin Setting: ½" (7 per bag)

(7 pei bag)

Finishes: 011, 770, 777, 801, 802







801



The new Wrought Iron Baton is a decorative accent that can be used for opening and closing drapes. The baton is 36 inches and is attached to a C-Ring, which can be used as a leading edge ring. Best when used with C-Rings (56371) and Center Bypass Bracket (56372).



56375

Baton
Inside Diameter 1%"
Outside Diameter 2%"

Eyelet Pin Setting: ½"

Finishes: 011, 770, 777, 801, 802



56366Splice
Size: 6" long

Finish: 061 Zinc Plated

In order to create longer poles, this splice can be used to join two poles. Insert the splice into both poles so that the two poles meet in the middle of the splice. A bracket should be installed at the placement of the splice.



56368

Holdback Base

Size: 4%"l x $3^{11}\%$ "w x $3^{11}\%$ "h, 1.40 lbs. Finishes: 011, 770, 777, 801, 802

Holdback Base to be used with Kirsch 1" Finials and/or end caps.





56369

Finial Plugs

Finish: 058 Clear Plastic

Kirsch Wrought Iron Finials are packaged in pairs. The finials screw directly into a finial plug, making it easy to keep them even and level every time. Two finial plugs are included with every pair of finials and end caps and can also be purchased separately. The finial plugs can be used on the Kirsch 1" Wrought Iron Pole and the Kirsch Wrought Iron Holdback Arm.



As a convenience, we include two molly anchors with each bracket and holdback arm that can be used with $\frac{1}{2}$ drywall (the most common residential sheetrock).

Molly Anchor



Kirsch Window Fashions ©2008 4110 Premier Drive, High Point, NC 27265 Phone: 1.800.225.1988 • Fax: 1.800.545.2325

www.kirsch.com

A **Newell Rubbermaid** Company